



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND  
CITIES—UNTABULATED.

ALGERIA—*Algiers*.—Month of June, 1907. Estimated population, 155,000. Total number of deaths, 342, including 2 from diphtheria, 2 from enteric fever, 30 from measles, 8 from smallpox, 2 from typhus fever, and 32 from tuberculosis.

AUSTRALIA—*New South Wales*—*New Castle*.—Month of May, 1907. Estimated population, 51,250. Total number of deaths, 70, including enteric fever 1, whooping cough 7, and 4 from tuberculosis.

BRAZIL—*Ceara*.—Month of May, 1907. Estimated population, 50,000. Total number of deaths, 140, including 11 from whooping cough.

Month of June, 1907. Total number of deaths, 114, including 14 from whooping cough.

COSTA RICA—*San Jose*.—Month of June, 1907. Estimated population, 25,525. Total number of deaths, 94, including enteric fever 1, and 8 from tuberculosis.

CUBA—*Matanzas*.—Ten days ended July 10, 1907. Estimated population, 49,990. Total number of deaths, 23, including enteric fever 1, and 2 from tuberculosis.

FALKLAND ISLANDS—*Port Stanley*.—Month ended June 17, 1907. Estimated population, 2,063. Total number of deaths, 2. One death from tuberculosis.

FRANCE—*Nice*.—Month of June, 1907. Estimated population, 150,881. Total number of deaths, 203, including enteric fever 1, whooping cough 1, and 34 from tuberculosis.

*St. Etienne*.—Two weeks ended June 30, 1907. Estimated population, 150,000. Total number of deaths, 112, including diphtheria 1, enteric fever 1, scarlet fever 1, and 18 from tuberculosis.

GIBRALTAR.—Two weeks ended July 21, 1907. Estimated population, 27,385. Total number of deaths, 16. No deaths from contagious diseases reported.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended July 13, 1907, correspond to an annual rate of 12.3 per 1,000 of population, which is estimated at 16,024,458.

*London*.—One thousand one hundred and fifteen deaths were registered during the week, including measles 46, scarlet fever 11, enteric fever 1, diphtheria 8, whooping cough 29, tuberculosis 161, and 8 from diarrhea. The deaths from all causes correspond to an annual rate of 12.2 per 1,000. In Greater London 1,520 deaths were registered. In the "outer ring" the deaths included 5 from measles, 2 from diphtheria, and 4 from whooping cough.

*Ireland*.—The average annual death rate represented by the deaths registered during the week ended July 13, 1907, in the 21 principal

town districts of Ireland was 17.1 per 1,000 of the population, which is estimated at 1,117,547. The lowest rate was recorded in Wexford, viz, 4.7, and the highest in Clonmel, viz, 41.0, per 1,000. In Dublin and suburbs 161 deaths were registered, including measles 2, whooping cough 7, and 26 from tuberculosis.

*Scotland.*—The deaths registered in 8 principal towns during the week ended July 13, 1907, correspond to an annual rate of 13.7 per 1,000 of the population, which is estimated at 1,812,171. The highest rate of mortality was recorded in Perth, viz, 22.5, and the lowest in Aberdeen, viz, 9.0 per 1,000. The aggregate number of deaths registered from all causes was 475, including diphtheria 2, measles 8, scarlet fever 2, and 22 from whooping cough.

*MALTA.*—Two weeks ended July 13, 1907. Estimated population, 206,690. Total number of deaths, 170. One death from diphtheria reported.

*MAURITIUS.*—Month of April, 1907. Estimated population, 375,400. Total number of deaths, 1,097, including plague 3 and 72 from tuberculosis.

*SPAIN—Almeria.*—Month of June, 1907. Estimated population, 46,806. Total number of deaths 120, including enteric fever 4, measles 11, smallpox 8, whooping cough 3, and 12 from tuberculosis.

*Seville.*—Month of June, 1907. Estimated population, 148,315. Total number of deaths, 432; including diphtheria 5, enteric fever 2, measles 3, scarlet fever 3, whooping cough 3, smallpox 10, and 78 from tuberculosis.

*SWITZERLAND.*—Week ended July 6, 1907. Reports from 18 cities, having an aggregate population of 867,056, show as follows: Total number of deaths, 156, including measles 1, scarlet fever 1, and 24 from tuberculosis.

*VENEZUELA—Puerto Cabello.*—Month of June, 1907. Estimated population, 14,000. Total number of deaths, 56, including enteric fever 2 and 5 from tuberculosis.

*Cholera, yellow fever, plague, and smallpox, from June 28 to August 9, 1907.*

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls, through the Department of State, and from other sources.]

[For reports received from December 28, 1906, to June 28, 1907, see PUBLIC HEALTH REPORTS for June 28, 1907.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
Ceylon—Point de Galle.....	June 16-22 .....	.....	2	
India:				
Bombay.....	May 29-July 2 .....	.....	8	
Calcutta.....	May 12-June 22 .....	.....	255	
Cochin.....	May 4-June 21 .....	.....	45	
Kashmir .....	May 11-June 24 .....	9,672	5,814	From Nov. 1-June 24, 15,835 cases and 9,022 deaths.
Moulmine .....	May 5-11 .....	.....	1	
Rangoon.....	May 12-June 15 .....	.....	10	